


**CLAIM AMENDMENTS**

1. (Currently Amended) A compound of formula I



wherein

R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

2. (Currently Amended) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt.

3. (Currently Amended) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

4. (Currently Amended) The compound of formula I according to claim [[1]] 38  
wherein

R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl,

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

5. (Currently Amended) The compound of formula I according to claim 1 wherein  
R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;

$R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;

$R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;

$m$  is 1, 2 or 3; and

$n$  is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

6. (Currently Amended) The compound of formula I according to claim 1 wherein  
 $R^1$  is  $-(CH_2)_n-CO-NH_2$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NH_2$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or  
phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen  
and fluoro( $C_1$ - $C_6$ )-alkyl;

$R^2$  is hydrogen, halogen or  $C_1$ - $C_6$ -alkyl;

$R^3$  is hydrogen,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl or benzyl;

$R^4$  is halogen, fluoro( $C_1$ - $C_6$ )-alkyl, cyano,  $C_1$ - $C_6$ -alkoxy or fluoro( $C_1$ - $C_6$ )-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;

$R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;

$R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;

$m$  is 1, 2 or 3; and

$n$  is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

7. (Currently Amended) The compound of formula I according to claim 1 wherein  
 $R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or  
phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen  
and fluoro( $C_1$ - $C_6$ )-alkyl;

$R^2$  is hydrogen, halogen or  $C_1$ - $C_6$ -alkyl;  
 $R^3$  is hydrogen,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl or benzyl;  
 $R^4$  is halogen, fluoro( $C_1$ - $C_6$ )-alkyl;  
 $R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $m$  is 1, 2 or 3; and  
 $n$  is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

8. (Currently Amended) The compound of formula I according to claim 1 wherein  
 $R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or  
phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen  
and fluoro( $C_1$ - $C_6$ )-alkyl;  
 $R^2$  is hydrogen, halogen or  $C_1$ - $C_6$ -alkyl;  
 $R^3$  is hydrogen,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl or benzyl;  
 $R^4$  is  $C_1$ - $C_6$ -alkoxy or fluoro( $C_1$ - $C_6$ )-alkoxy;  
 $R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $m$  is 1, 2 or 3; and  
 $n$  is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

9. (Original) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>.

10. (Original) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>.

11. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>.

12. (Original) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CN.

13. (Original) The compound of formula I according to claim 1 wherein R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>.

14. (Original) The compound of formula I according to claim 1 wherein R<sup>1</sup> is phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl.

15. (Original) The compound of formula I according to claim 14 wherein said phenyl is substituted by halogen.

16. (Original) The compound of formula I according to claim 1 wherein R<sup>2</sup> is hydrogen.

17. (Original) The compound of formula I according to claim 1 wherein R<sup>2</sup> is halogen.

18. (Original) The compound of formula I according to claim 1 wherein R<sup>2</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl.

19. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R<sup>3</sup> is hydrogen.

20. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R<sup>3</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl.

21. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R<sup>3</sup> is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl.

22. (Original) The compound of formula I according to claim 1 wherein R<sup>3</sup> is benzyl.

23. (Cancelled)

24. (Original) The compound of formula I according to claim 1 wherein R<sup>4</sup> is halogen or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl.

25. (Original) The compound of formula I according to claim 1 wherein R<sup>4</sup> is cyano.

26. (Original) The compound of formula I according to claim 1 wherein R<sup>4</sup> is C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy.

27. (Original) The compound of formula I according to claim 1 wherein R<sup>7</sup> is hydrogen.

28. (Original) The compound of formula I according to claim 1 wherein R<sup>7</sup> is (C<sub>1</sub>-C<sub>6</sub>)-alkyl.

29. (Currently Amended) A compound of formula I according to claim [[1]] 38 selected from

2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide,  
2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide,  
2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide,  
2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide,  
2-[7-(3-fluoro-benzyloxy)-2-methyl-4-oxo-4H-quinazolin-3-yl]-acetamide, and  
2-[2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide.

30. (Currently Amended) A compound of formula I according to claim [[1]] 38 selected from

7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one,  
7-(4-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one,  
7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-2-methyl-3H-quinazolin-4-one,  
3-(2-amino-ethyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one 1:2 hydrochloride,

3-(3-amino-propyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one 1:2 hydrochloride, 3-(2-amino-ethyl)-7-(4-fluoro-benzyloxy)-3H-quinazolin-4-one 1:1 hydrochloride, and 2-[7-(3-fluoro-benzyloxy)-2-methyl-4-oxo-4H-quinazolin-3-yl]-ethyl-ammonium chloride.


31. (Currently Amended) A compound of formula I according to claim [[1]] 38 selected from

[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester; fluoro-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester; 2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid ethyl ester; [7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid tert-butyl ester; 2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid tert-butyl ester; [7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester; and 2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid ethyl ester.

32. (Currently Amended) A compound of formula I according to claim 1 ~~selected from which is~~

~~3-(3-fluoro-benzyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one;~~  
~~3-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide;~~  
~~2-[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetamide;~~  
~~[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetonitrile;~~  
~~2-cyclopropyl-7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one;~~  
~~[2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid methyl ester;~~ and  
~~2-[2-benzyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide.~~

33. (Currently Amended) A pharmaceutical composition comprising a compound of formula I according to claim 1



wherein

R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;


m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier.

34. (Original) A process for the preparation of a compound of formula I according to claim 1 comprising reacting a compound of formula IV

Serial No. 10/734,949  
Filed: December 13, 2003



(IV)


wherein

R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or benzyl;

R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy; and

m is 1, 2 or 3

with a compound of formula V



(V)

wherein

R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;

R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl; and


n is 0, 1 or 2.

35. (Cancelled)

36. (Cancelled)

37. (Cancelled)

38. (New) A compound of formula I



wherein

$R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1-C_6$ )-alkyl;

$R^2$  is hydrogen, halogen or  $C_1-C_6$ -alkyl;

$R^3$  is hydrogen,  $C_1-C_6$ -alkyl, or  $C_3-C_6$ -cycloalkyl;

$R^4$  is halogen, fluoro( $C_1-C_6$ )-alkyl, cyano,  $C_1-C_6$ -alkoxy or fluoro( $C_1-C_6$ )-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1-C_6$ -alkyl;

$R^7$  is hydrogen or  $C_1-C_6$ -alkyl;

$R^8$  is hydrogen or  $C_1-C_6$ -alkyl;

$m$  is 1, 2 or 3; and

$n$  is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

39. (New) The compound of formula I according to claim 38 wherein

$R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1-C_6$ )-alkyl;

$R^2$  is hydrogen or  $C_1-C_6$ -alkyl;

$R^3$  is hydrogen,  $C_1-C_6$ -alkyl, or  $C_3-C_6$ -cycloalkyl;

$R^4$  is halogen, fluoro( $C_1-C_6$ )-alkyl, cyano,  $C_1-C_6$ -alkoxy or fluoro( $C_1-C_6$ )-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1-C_6$ -alkyl;

$R^7$  is hydrogen or  $C_1-C_6$ -alkyl;

$R^8$  is hydrogen or  $C_1-C_6$ -alkyl;

$m$  is 1, 2 or 3; and

$n$  is 0, 1 or 2;

or a pharmaceutically acceptable salt.

40. (New) The compound of formula I according to claim 38 wherein  $R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1-C_6$ )-alkyl;

$R^2$  is halogen or  $C_1-C_6$ -alkyl;

$R^3$  is hydrogen,  $C_1-C_6$ -alkyl, or  $C_3-C_6$ -cycloalkyl;

$R^4$  is halogen, fluoro( $C_1-C_6$ )-alkyl, cyano,  $C_1-C_6$ -alkoxy or fluoro( $C_1-C_6$ )-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1-C_6$ -alkyl;

$R^7$  is hydrogen or  $C_1-C_6$ -alkyl;

$R^8$  is hydrogen or  $C_1-C_6$ -alkyl;

$m$  is 1, 2 or 3; and

$n$  is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

41. (New) The compound of formula I according to claim 38 wherein  
R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NR<sup>5</sup>R<sup>6</sup>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;  
R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
R<sup>3</sup> is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl;  
R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;  
R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
m is 1, 2 or 3; and  
n is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

42. (New) The compound of formula I according to claim 38 wherein  
R<sup>1</sup> is -(CH<sub>2</sub>)<sub>n</sub>-CO-NH<sub>2</sub>; -(CH<sub>2</sub>)<sub>n</sub>-COOR<sup>7</sup>; -(CH<sub>2</sub>)<sub>n</sub>-NH<sub>2</sub>; -(CH<sub>2</sub>)<sub>n</sub>-CN; -(CH<sub>2</sub>)<sub>n</sub>-OR<sup>8</sup>; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl;  
R<sup>2</sup> is hydrogen, halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
R<sup>3</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl;  
R<sup>4</sup> is halogen, fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy or fluoro(C<sub>1</sub>-C<sub>6</sub>)-alkoxy;  
R<sup>5</sup> and R<sup>6</sup> are independently from each other hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;  
R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

$R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $m$  is 1, 2 or 3; and  
 $n$  is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

43. (New) The compound of formula I according to claim 38 wherein  
 $R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1$ - $C_6$ )-alkyl;  
 $R^2$  is hydrogen, halogen or  $C_1$ - $C_6$ -alkyl;  
 $R^3$  is hydrogen,  $C_1$ - $C_6$ -alkyl, or  $C_3$ - $C_6$ -cycloalkyl;  
 $R^4$  is halogen, fluoro( $C_1$ - $C_6$ )-alkyl;  
 $R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $m$  is 1, 2 or 3; and  
 $n$  is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

44. (New) The compound of formula I according to claim 38 wherein  
 $R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1$ - $C_6$ )-alkyl;  
 $R^2$  is hydrogen, halogen or  $C_1$ - $C_6$ -alkyl;  
 $R^3$  is hydrogen,  $C_1$ - $C_6$ -alkyl, or  $C_3$ - $C_6$ -cycloalkyl;


$R^4$  is  $C_1$ - $C_6$ -alkoxy or fluoro( $C_1$ - $C_6$ )-alkoxy;  
 $R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^7$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $R^8$  is hydrogen or  $C_1$ - $C_6$ -alkyl;  
 $m$  is 1, 2 or 3; and  
 $n$  is 0, 1 or 2;  
or a pharmaceutically acceptable salt thereof.

45. (New) The compound of formula I according to claim 38 wherein  $R^2$  is hydrogen.
46. (New) The compound of formula I according to claim 38 wherein  $R^2$  is halogen.
47. (New) The compound of formula I according to claim 38 wherein  $R^2$  is  $C_1$ - $C_6$ -alkyl.
48. (New) The compound of formula I according to claim 38 wherein  $R^4$  is halogen or fluoro( $C_1$ - $C_6$ )-alkyl.
49. (New) The compound of formula I according to claim 38 wherein  $R^4$  is cyano.
50. (New) The compound of formula I according to claim 38 wherein  $R^4$  is  $C_1$ - $C_6$ -alkoxy or fluoro( $C_1$ - $C_6$ )-alkoxy.
51. (New) The compound of formula I according to claim 38 wherein  $R^7$  is hydrogen.

52. (New) The compound of formula I according to claim 38 wherein  $R^7$  is  $(C_1-C_6)$ -alkyl.

53. (New) A compound of formula I according to claim 38 selected from 3-(3-fluoro-benzyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one; 3-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide; 2-[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetamide; [7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetonitrile; 2-cyclopropyl-7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one; and [2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid methyl ester.

54. (New) A pharmaceutical composition comprising a compound of formula I



wherein

$R^1$  is  $-(CH_2)_n-CO-NR^5R^6$ ;  $-(CH_2)_n-COOR^7$ ;  $-(CH_2)_n-NR^5R^6$ ;  $-(CH_2)_n-CN$ ;  $-(CH_2)_n-OR^8$ ; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro( $C_1-C_6$ )-alkyl;

$R^2$  is hydrogen, halogen or  $C_1-C_6$ -alkyl;

$R^3$  is hydrogen,  $C_1-C_6$ -alkyl, or  $C_3-C_6$ -cycloalkyl;

$R^4$  is halogen, fluoro( $C_1-C_6$ )-alkyl, cyano,  $C_1-C_6$ -alkoxy or fluoro( $C_1-C_6$ )-alkoxy;

$R^5$  and  $R^6$  are independently from each other hydrogen or  $C_1-C_6$ -alkyl;

Serial No. 10/734,949  
Filed: December 13, 2003

R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>8</sup> is hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier.